

Division Automotive
Technology and
Traffic

Test Report

No.: 2002-KTV/PZW-EX-7/03/E/BU

With regard to the Council Directive relating to the
braking devices of certain categories of motor vehicles and of their trailers

71/320/EEC

of 26 July 1971

as last amended by

98/12/EC

of 27 January 1998



Name and address of the Test Laboratory : TÜV Austria
Division Automotive
Technology and Traffic

Accredited Testing
Laboratory,
Inspection Body,
Certification Body,
Calibration Body

Deutschstraße 10
A-1230 Vienna

Notified Body 0408

Head Office:
A-1015 Vienna/Austria
Krugerstraße 16
Tel: +43 1 514 07-0
Fax: Ext. 6005
eMail: office@tuev.or.at
<http://www.tuev.or.at>

Name and address of orderer : TARONI & C. s.a.s.

Via Milano 24
I-23875 Osnago (LC)

Branch Office in
Bludenz, Dornbirn,
Eisenstadt, Graz,
Innsbruck, Klagenfurt,
Lauterach, Linz, Marz,
Salzburg, St. Pölten,
Wels and Vienna;

Subsidiaries in
Athens, Budapest,
Munich, Praha,
Ravenna, Tehran and
Vienna

Banking Connections:
CA 0066-28978/00
BA 220-101-949/00
PSK 7072.756

1. Test vehicle(s)/-object(s)

1.1 Description

Test vehicle

| | | |
|--|-------|---|
| Category of vehicle | : | Passenger car / M1 |
| Make (trade name of manufacturer) | : | NISSAN |
| Vehicle Type | : | Z 32 |
| Commercial description | : | 300 ZX |
| Vehicle test weight, unladen (with driver and test equipment) | : | 1745 kg (1660 kg + 75 kg + 10 kg) |
| Vehicle test weight, laden, total | : | 2020 kg |
| Maximum design speed | : | 250 km/h |
| Tyre dimensions | front | : 225/40 ZR 18 |
| | rear | : 255/35 ZR 18 |
| Braking devices | : | Disc-brakes, front and rear |
| The kit of the braking system includes for each axle | : | 2 brake calipers 2 brake discs including alloy bells 2 adapting clamps 1 set of brake pads 1 set of brake lines in P.T.F.E. |
| Manufacturer's name and address | : | TARONI & C. s.a.s. Via Milano 24 I-23875 Osnago (LC) |
| Make (trade name of manufacturer) | : | TAR-OX |
| Disc | : | |
| Axle 1 | : | |
| Type of braking disc | : | 0415 |
| Diameter [mm] | : | 340 |
| Thickness [mm] | : | 30 |
| Marking | : | TAR-OX / 0415 |

Axle 2

| | | |
|----------------------|---|---------------|
| Type of braking disc | : | 0416 |
| Diameter [mm] | : | 340 |
| Thickness [mm] | : | 24 |
| Marking | : | TAR-OX / 0416 |

Caliper

| | |
|---------|-----------------|
| Axle 1 | |
| Kind | : 6 pistons |
| Marking | : TAR-OX B 34 X |

Axle 2

| | | |
|---------|---|----------------|
| Kind | : | 10 pistons |
| Marking | : | TAR-OX B 10 XL |

Adapting clamps

| | | |
|--------|---|-------------|
| Axle 1 | : | TAR-OX 0415 |
| Axle 2 | : | TAR-OX 0416 |

Pads

| | | |
|--------|---|--------------------|
| Axle 1 | : | TARONI & C. s.a.s. |
| Axle 2 | : | TARONI & C. s.a.s. |

| | | |
|--------------------|---|---------------|
| Type of brake pads | : | asbestos free |
|--------------------|---|---------------|

| | | |
|-----------------|---|------|
| Master cylinder | : | O.E. |
|-----------------|---|------|

| | | |
|-------------|---|--------|
| Brake hoses | : | RacteK |
|-------------|---|--------|

1.2 Remarks

Composition, strength and surface treatment of the material has not been tested.

Testing of the brake pads has not been carried out.

2. Test report

Parameter of the test area

| | | | |
|--------------------|-------|---|---------------------|
| Temperature of air | [°C] | : | 18 |
| Air pressure | [hPa] | : | 1011,5 |
| Air humidity | [%] | : | 65 |
| Velocity of wind | [m/s] | : | 0 - 1 |
| Test course | | : | Asphalt, dry, plane |

Equipment for measuring and testing

| | | |
|----------------------------------|---|---|
| Test rig for dynamic tests | : | FT - 10.10 (Test item No.) |
| Hydraulic test rig | : | KLÖCKNER-MELLER |
| Tensile strength testing machine | : | ROELL & KORTHAUS RSK 20 |
| Power test item | : | HBM U2A 50 kN |
| Recording | : | BMC MC-23 (Software: Next-View) |
| Measuring amplifier | : | BMC MC-MV TF 5a (5 kHz) |
| Vehicle speed | : | Correvit L-CE 93009 |
| Deceleration | : | Electronic data recording system |
| Pedal force | : | MAHA Type VZM 100 |
| Temperature | : | MAHA Type MONACOR electronic thermometer |

3. Test results

3.1 Mechanical stability of the caliper

Statische Prüfung Static test

The widening of the caliper has been tested by applying a test load F to the pistons of the caliper.

Test load : F = 300 bar

The detected widening was less than 1%.

Heat resistance

After the fade test the measuring of the widening under the afore mentioned conditions has been carried out.

The detected widening was less than 1%.

3.2 Prüfung der Dichtelemente Testing of the sealing elements

The tightness has been tested by the increase of the static internal pressure up to 200 bar.

| | | |
|---------------|---|---------|
| Test medium | : | DOT 5 |
| Test pressure | : | 200 bar |
| Test period | : | 10 min |

The tests showed positive results.

3.3 Disc**Mechanical stability**

After the testing of the braking system according to Directive 71/320/EEC as amended by 98/12/EC, the thickness deviation and planarity of the brake discs have been examined.

The thickness deviation over the entire circumference was less than 5%.

The deviation of the planarity was less than 0.3 mm.

Heat resistance

After the fade test a crack testing, rotation angle testing and a testing regarding planarity of the brake disk have been carried out.

The tests showed positive results.

3.4 Brake testing with regard to Council Directive 71/320/EEC a.l.a.b. 98/12/EC

3.4.1 Test type 0

Test type 0 with engine disconnected

| Category of vehicle | Unladen | Laden | Test requirement |
|--|---------|-------|---------------------------------------|
| Test speed v [km/h] | 80,2 | 80,1 | 80 km/h |
| Stopping distance s [m] | 35,1 | 37,1 | $s \leq 50,7 \text{ m}; 0,1v+v^2/150$ |
| Mean fully developed deceleration d_m [m/s ²] | 9,06 | 8,47 | $d_m \geq 5,8 \text{ m/s}^2$ |
| Applied force [N] | 399 | 324 | $F \leq 500 \text{ N}$ |

Test type 0 with engine connected

| Category of vehicle | Unladen | Laden | Test requirement |
|--|---------|-------|--|
| Test speed v [km/h] | 160,9 | 160,2 | $v = 80\%v_{max} \text{ but } \leq 160 \text{ km/h}$ |
| Stopping distance s [m] | 125 | 116,7 | $s \leq 0,1v+v^2/130$ |
| Mean fully developed deceleration d_m [m/s ²] | 9,11 | 9,78 | $d_m \geq 5,0 \text{ m/s}^2$ |
| Applied force [N] | 224 | 258 | $F \leq 500 \text{ N}$ |

Additional tests with various speeds

| Category of vehicle | Unladen | Laden | Unladen | Laden | Unladen | Laden |
|--|-------------------------|-------|--------------------------|-------|--------------------------|-------|
| Test speed v [km/h] | $v = 30\% V_{max} = 80$ | | $v = 45\% V_{max} = 130$ | | $v = 80\% V_{max} = 180$ | |
| Maximum value of deceleration [m/s ²] | 9,86 | 10,06 | 9,16 | 10,96 | 12,12 | 10,42 |
| Applied force [N] | 324 | 392 | 224 | 286 | 249 | 322 |

Behaviour of the vehicle

Good lane stability, no blocking, no unusual vibrations.

3.4.2 Test type I (Fade test, laden) with engine disconnected

Repeated stops

Test requirements – Category of vehicle M1

„n“ repeated braking from an original speed v_1 and a mean fully developed deceleration d_m towards speed v_2 in which the period of time between the beginning of a braking and the beginning of the following braking is „ Δt “.

$n = 15$

$v_1 = 80 \% v_{max} \leq 120 \text{ km/h}$

$v_2 = \frac{1}{2} v_1 = 60 \text{ km/h}$

$\Delta t = 45 \text{ sec.}$

| Fifteen repeated stops | Test speed [km/h] | Mean fully developed deceleration (1. stop) [m/s ²] | Applied force [N] |
|------------------------|----------------------|---|----------------------|
| | 120 | 3,0 | 45 |

| Category of vehicle | Laden | Test requirement |
|--|-------|---|
| Test speed v [km/h] | 80 | 80 km/h |
| Mean fully developed deceleration d_m [m/s ²] | 6,81 | $d_m \geq 4,64 \text{ m/s}^2 \geq 60\% d_m$ (Test type 0, disconnected engine) |
| Applied force [N] | 199 | $F \leq$ actual used mean force (Test type 0, disconnected engine) |

4. Other information

Vehicle(s) –object(s) submitted for

tests on : 2001-10-29

Place of testing : A-2542 Kottingbrunn, SEMPERIT REIFEN GmbH
A-1230 Wien, Prüfzentrum Wien

Date of testing : 2001-10-29 and 2001-11-09

5. Enclosures

Enclosure 1 : Drawings (7 sheets)
Enclosure 2 : range of application

6. Range of application : see enclosure 2

7. Conditions

- The respective braking system may only be installed by an authorised workshop according to the specification of the manufacturer.
- Only screws of the strength class 8.8 or higher may be used.
- Installation of the brake disks as well as operation of the brake pads shall be checked for any individual case.
- A quality assurance system shall be verified by the manufacturer.

8. Certification

As instructed the test objects described in No. 1. had been tested with regard to Council Directive 71/320/EEC as last amended by 98/12/EC.

The test objects described in No. 1. and the vehicles in the range of application are **in compliance** with the Directive mentioned above.

9. Remarks

Combination of the brake disks in question and caliper of other manufacturers has not been tested.

This test report expires, if

- changes of the respective brake disks regarding dimensions, material or manufacturing occur;
- manufacturing and operations instructions of the road traffic laws and regulations concerned have been changed;
- a range of application is defined and installation or vehicle relevant data have been changed.

This test report includes pages 1 to 10 and remains an effective instrument in its entirety only.

V i e n n a - 2002-01-31

TÜV Austria
Division Automotive Technology and Traffic
Institute for automotive engineering and hazardous goods management

Accredited Testing Laboratory by
Kraftfahrt-Bundesamt, Bundesrepublik Deutschland

DAR-Reg. No. KBA-R 00055-00


authorised signatory




Dipl.-Ing. BUSSEK



Test engineer



Mr. Fleischer




Kit of the braking system TAR-OX 0415 / 0416



| | | |
|--|--|-------------|
| Progr. in: | | Cod.O |
| TT: Distensione TS: | | Cerchi: 18" |
| Grezzo: | | Pinzo: B32 |
| Nome: DISCO Ant NISSAN 300ZX | | |
| Cod.Parte: KMNO4 15 Mod. E Data: 24-10-01 Scalo: 1:2 | | |
| TARONI & C S.p.A Line Frat Speciali Orange -L- | | |

KMNO4 15 O.tà: 2 Il disco originale ha le seguenti misure: Diametro= Spessore del Disco= 2
Descrizione della Foratura del mozzo: Diametro foro centrale= 2
N° FORI= Su Circonferenza di Diametro= 2
N° FORI= di Diametro= Su Circonferenza di Diametro= 2
N° FORI= di Diametro= Profondità o Dia= Su Circonference Dia= 2
N° FORI= di Diametro= Su Circonference di Diametro= 2

CON RIF UCS CAVE E PUNTA DIA 12
FORARE PASSANTE 40X, POI CON FRESA
DIA 16 ASOLARE I FORI PRECEDENTI PER
GOY-3.34720
G1Y0Z-47.5



CON RIF IL CENTRO DEL DISCO E CON
FRESA DIA 32 REALIZZARE LE 10 FRESEATE
R16 CON I RACCORDI R3
G0X8.072Y-67
G1Y-73.055
G3X27.039Y-83.217R19
G3X36.409Y-63.848

NOTE


- (1) I disegni hanno le quote del pezzo finito PRIMA di eventuali trattamenti termici o superficiali
- (2) Tranne che nei dischi tipo C83, boffi e righe hanno lo stesso orientamento delle ventilazioni
- (3) Controllare l'assenza di: soffature, inclusioni, gocce fredde
- (4) Controllare che le piste frenanti non abbiano ammaccature
- (5) Sui dischi tipo AUTO con nostre ventilazioni, il foro piccolo sarà sempre DIA. 130.1 +0.1 -0.0
- (6) Sui dischi auto lasciare 0.4mm di sovrapposito per l'operazione di rettifica



| | | |
|--|--|-------------|
| Progr. in: | | Cod.O |
| TT: Distensione TS: | | Cerchi: 18" |
| Grezzo: | | Pinzo: B32 |
| Nome: DISCO Ant NISSAN 300ZX | | |
| Cod.Parte: KMNO4 15 Mod. E Data: 24-10-01 Scalo: 1:2 | | |
| TARONI & C S.p.A. Line Frat Speciali Orange -L- | | |

KMNO4 15 O.tà: 2 Il disco originale ha le seguenti misure: Diametro= Spessore del Disco= 2
Descrizione della Foratura del mozzo: Diametro foro centrale= 2
N° FORI= Su Circonferenza di Diametro= 2
N° FORI= di Diametro= Su Circonferenza di Diametro= 2
N° FORI= di Diametro= Profonda= Su Circonference Dia= 2
N° FORI= di Diametro= Lateral o Dio= Su Circonference di Diametro= 2
N° FORI= di Diametro= Su Circonference di Diametro= 2

CON RIF UCS CAVE E PUNTA DIA 12
FORARE PASSANTE 40X, POI CON FRESA
DIA 16 ASOLARE I FORI PRECEDENTI PER
GOY-3.34720
G1Y0Z-47.5




NOTE

- (1) I disegni hanno le quote del pezzo finito PRIMA di eventuali trattamenti termici o superficiali
- (2) Tranne che nei dischi tipo C83, boffi e righe hanno lo stesso orientamento delle ventilazioni
- (3) Controllare l'assenza di: soffature, inclusioni, gocce fredde
- (4) Controllare che le piste frenanti non abbiano ammaccature
- (5) Sui dischi tipo AUTO con nostre ventilazioni, il foro piccolo sarà sempre Dia. 130.1 +0.1 -0.0
- (6) Sui dischi auto lasciare 0.4mm di sovrappunto per l'operazione di rettifica


Anhang 1

N° E del 24-10-01: Eliminato orologio 34,85. Eliminato R4 grande che gli estremo
N° 2 del 25-10-01: fori Dia 12,75 erano Dia 12,5



| | | |
|-----------------------|---|-----------------|
| Mn0416 Q.tà: 2 | Il Disco Originale ha le seguenti misure: Diametro= Spessore del Disco= | KMn0416 Q.tà: 2 |
| N° FORI= di Diametro= | Descrizione della Foratura del mozzo: Diametro foro centrale= | |
| N° FORI= di Diametro= | Su Circonferenza di Diametro= | |
| N° FORI= di Diametro= | Su Circonferenza di Diametro= | |
| N° FORI= di Diametro= | Loratt a Dia= profonda= Su Circonferenza Dia= | |
| N° FORI= di Diametro= | Svasati a Dia= Su Circonferenza di Diametro= | |

CON RIF UCS CAVE E PUNTA DIA
12, FORARE PASSANTE 40X POI
ASOLARE I FORI PRECEDENTI CON
FRESA DIA 12 PER
G0Y-5,35Z0
G1Y0Z-66






- NOTE
- 7) Pinza modificata come da programma OB301
 - 6) I disegni hanno le quote del pezzo finito PRIMA di eventuali trattamenti termici o superficiali
 - 5) Tranne che nei dischi tipo CB3, baffi e righe hanno lo stesso orientamento delle ventilazioni
 - 4) Controllare che le piste frenanti non abbiano ammaccature
 - 3) Controllare l'assenza di: soffiature, inclusioni, gocce fredde
 - 2) Sui dischi tipo AUTO con nostre ventilazioni, il foro piccolo sarà sempre Dia. 130,1 +0,1 -0,0
 - 1) Sui dischi auto lasciare 0,4mm di sovrametallo per l'operazione di rettifica



Codici TAR-OX

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---|---|---|---|---|---|---|---|




FRONT 6 POT

ASS'EME PINZA TAROX TIPO 934





Anhang 1



| | | |
|-------------------------------------|------------------|----------------|
| Progr. in: JUPITERP-STAFFE | FÖSTER & SEH | 33329 |
| Viti Staffa-Montante: | M12X1.25X50MM SE | |
| Viti Staffa-Pinza: | M12X1.25X55MM SB | |
| TS: MIL-A-8625-F Type 3 Cerchi: 18" | | |
| Grezzo: 161x70x50 | Mat: UNI 9006/4 | Pinza: B3 |
| Approvato da: TARONI G. | | |
| Nome: STAFFA Ant NISSAN 300ZX | | |
| Cod.Parte: KMNI0415 | Mod. 2 | Data: 25-10-01 |
| Scala: | | |

NOTE

1) I disegni hanno le quote del pezzo finito PRIMA di eventuali trattamenti termici o superficiali


KMNI0415 | Q.tà: 2

TARONI & C S.p.a Linea Freni Speciali Onnago - L
 Cod.Parte: KMNI0415 Mod. 2 Data: 25-10-01 Scala:
 Nome: STAFFA Ant NISSAN 300ZX
 Viti Staffa-Montante: M12X1.25X50MM SE
 Viti Staffa-Pinza: M12X1.25X55MM SB
 TS: MIL-A-8625-F Type 3 Cerchi: 18"
 Grezzo: 161x70x50 Mat: UNI 9006/4 Pinza: B3

NIO416 Q.tò: 2

KMNI0416 Q.tò: 2

Anhang 1



| | |
|---|-------------------|
| N° E del 24-10-01 Emissione | |
| N° 1 del 25-10-01: Cambio riduzione delle Viti: Correttivo viti per montante. Correttivo grezzo | |
| Cambialo la testa delle Viti: Correttivo viti per montante. Correttivo grezzo | |
| N° 2 del 26-10-01: Aggiunilo quando da D.9: Modifica a 35 le lunghezze delle Viti. | |
| N° 3 del 26-10-01: Completamente ridisegnato. Cambialo nolo 2 | |
| STORIA Modifiche | Vere Überwachungs |
| Progr. in: JUPITERP - STAFFE OSTERreich Cod. # 03332(2) | |
| Viti Staffa-Montante: M10X1.5x35MM SE | |
| Viti Staffa-Pinza: M10X1.5x35MM SE | |
| TS: MIL-A-8625-F Type 3 Cerchi: 18" | |
| Grezzo: 137X40X30 Mat: UNI 9006/4 Pinzo: B32(2) | |
| Approvato da: TARONI G. | |
| Name: STAFFA Post NISSAN 300ZX (2) | |
| Cod.Porte: KMNI0416 Mod. 3 Data: 26-10-01 Scala: 1:1 | |

TE
Inza a 10 pomelli modificato come da programma 00101
disegni hanno le quote del pezzo finito PRIMA di eventuali trattamenti termici o superficiali

NIO416 Q.tò: 2

NOMENCLATURE: Linee più + / - 0.5

ANODOLI VITI CON PUNZI NON DURATR: R=0.8/0.8X45

dettaglio -LC- Ne è prevista l'uso a ripetizione
solida e serrata senza lubrificazione. ATTIVIZZAZIONE SOFTATA
VITI DEDICATI LINEA C SERIE: VITI DEDICATI LINEA C SERIE:
VITI DEDICATI LINEA C SERIE: VITI DEDICATI LINEA C SERIE:

TARONI & C S.p.a Una Freni Speciali Onnago -LC-

Range of application

Due to the observations of the conducted tests and their results we consider the application of the objective braking system for the following vehicles, under the assumption of item No. 1, as adequate.


| AC | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel |
|-----------------------------|----------|--------|---------|-----------------------|--------|-----------|
| COBRA | KMAC0371 | 16" | 310X26 | | 6/10 | B32 XL |
| COBRA | KMAC0372 | 16" | 305X24 | Hinten | 6/10 | B32 L |
| ALFA ROMEO | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel |
| 75 1.6 1.8 NO Twin Spark | KMAR0105 | 15" | 290 | | 4 | B1 |
| 145/146 1.8-2.0 16V TS | KMAR0358 | 16" or | 310X26 | Original Felge | 6/10 | B32 XL |
| 145/146 1.8-2.0 16V TS | KMAR0332 | 17" | 318X26 | | 6/10 | B32XL |
| 145/146 1.8-2.0 16V TS | KMAR0333 | 15" | 284X10 | | | Originale |
| 156 /147 | KMAR0191 | 17" | 315 | | 6/10 | B32 XL |
| 156/147 | KMAR0205 | 18" | 346 | | 6/10 | B32 XL |
| 156/147 | KMAR0208 | 18" | 313 | Hinten | | Originale |
| 156/147 | KMAR0340 | 18" | 340X26 | | 6/10 | B34 |
| 156/147 | KMAR0267 | 16" | 292X10 | Hinten/Original Felge | | Originale |
| 155 1.8 T.S. | KMAR0381 | 16" O | 310X26 | | 6/10 | B32 XL |
| 155 2.0 TURBO/16V/Q4/2.5 V6 | KMAR0314 | 17" | 318X26 | EX KMAR0115 | 6/10 | B32 XL |
| 166 | KMAR0354 | 17" | 318X26 | | 6/10 | B32 XL |
| GTV6 2.5 - 75 3.0 v6 | KMAR0190 | 15" | 284 | | 4 | B1 |
| GTV6 2.5 - 75 3.0 v6 | KMAR0259 | 15" | 280X26 | | 6 | B28 XL |
| GTV6 2.5 - 75 3.0 v6 | KMAR0018 | 16" | 305X24 | | 6/10 | B32 X |
| GTV6 2.5 - 75 3.0 v6 | KMAR0256 | 17" | 310X24 | | 6/10 | B32 X |
| GTV6 2.5 - 75 3.0 v6 | KMAR0090 | 16" | 318 X26 | | 6/10 | B32 XL |
| GTV6 2.5 - 75 3.0 v6 | KMAR0038 | 17" | 330X26 | | 6/10 | B32 XL |
| GTV 2.0V6 Turbo | KMAR0162 | 17" | 330 | | 6/10 | B32 XL |
| GTV 2.0 V6 Turbo | KMAR0167 | 16" | 310 | Distanze | 6/10 | B32 XL |
| GTV 2.0 V6 Turbo | KMAR0210 | 17" | 320 | | 6/10 | B32 XL |
| 164 2.0 V6 | KMAR0114 | 17" | 315 | Original Felge | 6/10 | B32 XL |
| GTV 2.0I 16V TWIN SPARK | KMAR0307 | 16" | 305X26 | | 6/10 | B32 XL |
| GTV 2.0I 16V TWIN SPARK | KMAR0273 | 17" | 318X26 | | 6/10 | B32 XL |
| GTV 2.0V6 Turbo | KMAR0293 | 16/17" | 300x11 | Hinten | | |
| GTV 3.0 24V | KMAR0232 | 17" | 325x26 | Original Felge | 6/10 | B32XL |
| SZ | KMAR0080 | 16" | 318X26 | | 6/10 | B32 XL |
| SZ | KMAR0179 | 17" | 330 | | 6/10 | B32 XL |
| ASTON MARTIN | Kit Nr. | Felge | Dia | Kolben | Sattel | |




| | | | | | | |
|-----------------------------------|-----------------|--------------|------------------|------------------------|---------------|----------------|
| AUDI | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel |
| A4 1.8 20V Turbo Quattro | KMAU0116 | 17" | 320X26 | | 6/10 | B34 XL |
| A4 1.8 20V Turbo Quattro | KMAU0213 | 16" | 308 | | 6/10 | B32 XL |
| A4 1.8 20V Turbo Quattro | KMAU0217 | 18" | 330 | | 6/10 | B32 |
| A6 Quattro 2.6-2.8 V6 | KMAU0221 | 18" | 330 | | 6/10 | B32 |
| A6 Quattro 2.6-2.8 V6 | KMAU0222 | 17" | 320 | | 6/10 | B32XL |
| S3 - TT | KMAU0275 | 17"O | 330X26 | | 6/10 | B32XXL |
| A6 4.2 AVANT 4 | KMAU0268 | 17" | Original | Hinten | 6 | B28 |
| A6 4.2 AVANT 4 | KMAU0278 | 17" | Original | Hinten | 6/10 | B32XXL |
| S8 4200 V8 | KMAU0300 | 17" | Original | Hinten / mit distanzen | 6/10 | Original |
| S3 - TT | KMAU0308 | 17"O | 300X22 | | 6/10 | B34 XXL |
| S8 4.2 V8 | KMAU0309 | 18" | 355X30 | | 6/10 | B32XL |
| A3 1.8T - 1.9 TDI | KMAU0365 | 17" | 318X26 | | 6/10 | B34XXL |
| RS 4 | KMAU0376 | 18" | 360X32 | | 6/10 | B34XXL |
| RS 4 | KMAU0377 | 18" | Original | | 6/10 | B34XXL |
| CALIPER | | | | NOTE | Kolben | CALIPER |
| BMW | COD. KIT | INCH | DIA. DISK | | | |
| 2002 TURBO | KMBW0262 | 15 | 300 | | 6/10 | B32 |
| 320 (E21) | KMBM0005 | 17" | 318 | | 6/10 | B32 |
| E30: 320 i/320iS/323i | KMBM0020 | 15" | 285X22 | | 6/10 | B32 L |
| E30: 320 i/320iS/323i | KMBM0155 | 16" | 310 | | 6/10 | B32 XL |
| E30: 320 i/320iS/323i | KMBM0133 | 17" | 318 | Original Felge | 6/10 | B32 X |
| M3 (E30) | KMBM0001 | 16" | 310X24 | | 6/10 | B32 XL |
| M3 (E30) | KMBM0134 | 17" | 318 | | 6/10 | B32 L |
| E 36 :318/320 /325/328/Z3 2.8 | KMBM0111 | 16" | 314X22 | Original Felge | 6/10 | B32 X |
| E 36 :318/320 /325/328/Z3 2.8 | KMBW0291 | 16 " | 314X24 | | 6/10 | B34 |
| E 36 :318/320 /325/328/Z3 2.8 | KMBW0336 | 17" | 330X24 | | 6/10 | B32 |
| M3 (E36) | KMBM0144 | 17"O | 312 | Original Bremsheiben | 6/10 | B32 XL |
| M3 (E36) | KMBM0150 | 17"O | 325x26 | Original Felge | 6/10 | B34 |
| M3 E36/ M3 E46 /Z3M | KMBW0298 | 18" | 340X30 | | 6/10 | B34XL |
| E 36/E46 :318/320 /325/328/Z3 2.8 | KMBM0380 | 18" | 340X26 | | 6/10 | B32XL |
| E 39 525 | KMBM0345 | 16" OR | 330X26 | | | |



| | | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel |
|-----------------------------|--|-----------|-------|--------|-------------------|--------|-----------|
| CHEVROLET | | KMCH0158 | 16" O | 315 | | 6/10 | B32 X |
| Corvette | | KMCH0388 | 17" | 330X26 | | 6/10 | B32 XL |
| Corvette C5 | | | | | | | |
| CITROEN | | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel |
| ZX 2.0 16V | | KMCI0303 | 17" | 318X26 | Nur mit distanzen | 6/10 | B32 XL |
| XSARA | | KMCI0319 | 15" | 295X26 | Nur mit distanzen | 6/10 | B32 X |
| DODGE | | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel |
| RAM1500 PICKUP | | KMDOO0142 | 16" O | 327 | | 6/10 | B32 |
| FERRARI | | | | | | | |
| Testarossa (1988 -1991) | | KMFE0026 | 16" | 325X30 | Original Felge | 6/10 | B32 XXL |
| 308 | | KMFE0053 | 16" | 318 | | 6/10 | B32 |
| 308 | | KMFE0054 | 16" | 318 | Hinten | 6/10 | B32XL |
| 275GTB E 275GTB-4 | | KMFE0064 | 15" | 280 | | 4 | B1 |
| GTO /Testarossa (1984-1987) | | KMFE0107 | 17" | 330 | | 6/10 | B32 XL |
| F355 | | KMFE0148 | 18" | 340 | Original Felge | 6/10 | B32 |
| F40 | | KMFE0237 | 18" | 350X40 | | 6 | BF RACING |
| F40 | | KMFE0238 | 18" | 350X31 | Hinten | 6 | BF RACING |
| 208GTS | | KMFE0248 | 16" | 315X26 | Nur mit distanzen | 6/10 | B32XL |
| 208 GTS | | KMFE0321 | 16" | | Hinten | 6 | BFP34 |
| GTO /Testarossa (1984-1987) | | KMFE0253 | 16" | 328X30 | Original Felge | 6/10 | B32 XXL |
| 550 Maranello | | KMFE0279 | 18" | 350X32 | Original Felge | 6/10 | B 34 |
| Testarossa (1988 -1991) | | KMFE0301 | 17" | 330X30 | | 6/10 | B32 XXL |
| Testarossa (1988 -1991) | | KMFE0317 | 17" | 360X30 | Hinten | 6/10 | B34XL |
| GTO /Testarossa (1984-1987) | | KMFE0316 | 17" | 360X30 | Hinten | 6/10 | B34 XL |
| GTO /Testarossa (1984-1987) | | KMFE0356 | 18" | 360X30 | | 6/10 | B34XL |
| F355 | | KMFE0399 | 18" O | 350X30 | | 6/10 | BF RACING |
| 360 Modena | | KMFE0401 | 18" O | 355X26 | Hinten | 6 | BF RACING |
| 360 Modena | | KMFE0402 | 18" O | 355X26 | Hinten | 6 | BF RACING |
| FIAT | | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel |
| Cinquecento/Seicento | | KMFI0012 | 15" | 294X26 | | B32 | B32 |
| Coupe' Turbo 16V/Bravo HGT | | KMFI0057 | 16" | 310 | Original Felge | B32 | B32 |
| Coupe' Turbo 16V/Bravo HGT | | KMFI0261 | 17" | 318X26 | | 6/10 | B32 |



| Coupe' Turbo 16V/Bravo HGT | KMF0019 | 17" | 330 | | | 6/10 | B32 XL | |
|--------------------------------------|----------|--------|----------|--------------------------------|---|--------|-----------|--|
| Coupe' Turbo 20V | KMF01392 | 16" | 310x26 | | | 6/10 | B32 XL | |
| Coupe' Turbo 20V | KMF0234 | 18" | 330X26 | | | 6/10 | B32 XL | |
| Punto HGT (1999) | KMF0429 | 16" | 305X26 | | | 6/10 | B32 XL | |
| Punto HGT (1999) | KMF0263 | 17" | 330X26 | Felge BBS | | 6/10 | B32 XL | |
| Punto HGT (1999) | KMF0276 | 17" | 318x26 | | | 6/10 | B32 XL | |
| Punto HGT (1999) | KMF0322 | 17" | 340X26 | | | 6/10 | B34XL | |
| Punto HGT (1999) | KMF0324 | 17" | 340X11 | | | 6/10 | ORIG. | |
| Bravo HGT | KMF0297 | 16" | 305X26 | | | 6/10 | B32 XL | |
| Bravo HGT | KMF0375 | 19" | 340X26 | | | 6/10 | B34 XL | |
| Punto GT/Barchetta | KMF0130 | 15" | 284 | Hinten | | 6/10 | Originale | |
| Punto GT/Barchetta | KMF0185 | 15" | 284 | | | 6/10 | B32 XL | |
| Punto GT/Barchetta | KMF01382 | 17" | 310X26 | | | 6/10 | B32 XL | |
| Palio 1.7 TD | KMF0233 | 14" | 256 | Original Felge | 4 | 6/10 | B 1 | |
| Punto GT/Coupe' 20V Turbo | KMF0242 | 16" | 300 x 11 | Hinten | | 6/10 | Originale | |
| Marea 2.0i 20V TD (125) | KMF0269 | 15" OR | 284X22 | Original Felge und Bremsheiben | | 6 | B28 | |
| Marea 2.0i 20V TD (125) | KMF0361 | 15" OR | 284X22 | | | 6 | B28 | |
| Punto ELX 75 | KMF0277 | 14" | | Original Felge und Bremsheiben | | 6 | B28 | |
| Uno Turbo ie | KMF0413 | 14" | 257X20 | Original Felge und Bremsheiben | | 6 | BFP | |
| Uno Turbo ie | KMF0414 | 15" | 283X22 | Original Felge | | 6 | B28 L | |
| X19 | KMF0169 | 15" OR | 284X22 | | | 6 | B28 | |
| X19 | KMF01374 | 16" | 300X26 | | | 6/10 | B32XL | |
| FORD | Kit Nr. | Felge | Dia | NOTE | | Kolben | Sattein | |
| Escort Cosworth /Sierra Cosworth 4X4 | KMF00097 | 15" | 285 | Original felgen | | 6/10 | B32 X | |
| Escort Cosworth /Sierra Cosworth 4X4 | KMF00287 | 15" | | Original Bremsheiben | | 6 | B28 | |
| Escort Cosworth /Sierra Cosworth 4X4 | KMF00240 | 16" | 305x26 | Nur mit distanzen | | 6/10 | B32 XL | |
| Escort Cosworth /Sierra Cosworth 4X4 | KMF00239 | 16" | 318X26 | Hinten | | 6/10 | B32 XL | |
| Escort Cosworth /Sierra Cosworth 4X4 | KMF00363 | 17" | 318x20 | Hinten | | 6/10 | original | |
| Escort Cosworth /Sierra Cosworth 4X4 | KMF00023 | 17" | 327 | | | 6/10 | B32 | |
| Escort Cosworth /Sierra Cosworth 4X4 | KMF00033 | 17" | 328 | Hinten/Hydraulic handbrake | | 6/10 | B32 | |
| Escort Cosworth /Sierra Cosworth 4X4 | KMF00137 | 18" | 335x26 | | | 6/10 | B32 XL | |
| Escort Cosworth /Sierra Cosworth 4X4 | KMF00339 | 18" | 340X26 | | | 6/10 | B34 | |
| Sierra/Sapphire Cosworth 2X4 | KMF00182 | 16" | 304 | | | 6/10 | B32 XL | |
| Sierra/Sapphire Cosworth 2X4 | KMF00218 | 17" | 318 | | | 6/10 | B32 XL | |
| Sierra/Sapphire Cosworth 2X4 | KMF00246 | 17" | 330X26 | | | 6/10 | B32XL | |



| | | | | | | | | |
|------------------------------|-----------|-------|--------|---------------------------------|--|--------|---------|----------|
| Sierra/Sapphire Cosworth 2X4 | KMF00331 | 18" | 340x26 | | | | 6/10 | B34 |
| Escort/Puma | KMF00400 | 15" | 283X24 | Sierra Cosworth RWD Bremsheiben | | | 6 | B28XL |
| Escort RS Turbo | KMF00202 | 16" | 288X23 | | | | 6 | B28 |
| Escort RS Turbo | KMF00224 | 18" | 330 | | | | 6/10 | B32 XL |
| Escort RS Turbo | KMF00243 | 17" | 298X26 | | | | 6/10 | B32 XL |
| Mondeo TD | KMF00255 | 15" | 280X24 | Original Felgen | | | 6 | B28 |
| Mondeo 2,0 RS V6 | KMF00385 | 17" | 330X26 | | | | 6/10 | B34 XL |
| HONDA | | | | | | | | |
| Civic 1.6 VTI | KMH0011 | 17" | 326X26 | | | | 6/10 | B32 XL |
| NSX | KMH0059 | 17" | 316X26 | | | | 6/10 | B32 XL |
| NSX | KMH0061 | 17" | 316 | Hinten | | | 6/10 | B32 XL |
| Civic | KMH00101 | 16" | 306 | | | | 6/10 | B32 |
| PRELUDE 2000 >1993 | KMH00163 | 16" | 326X26 | | | | 6/10 | B32 XL |
| PRELUDE 2000 >1993 | KMH00164 | | 310 | Hinten | | | 6/10 | Original |
| Civic EK4 160HP | KMH00188 | 17" | 318X26 | | | | 6/10 | B32 XL |
| Civic | KMH00274 | 17" | 318X26 | | | | 6/10 | B32 XL |
| NSX | KMH00318 | 18" | 328X26 | | | | 6/10 | B32 XL |
| NSX | KMH00334 | 16" | 310X26 | | | | 6/10 | B32 XL |
| HYUNDAI | | | | | | | | |
| COUPE | Kit Nr. | Felge | Dia | NOTE | | Kolben | Sattel | |
| | KMHY0207 | 15" | 284X26 | | | 6/10 | B32 XL | |
| JAGUAR | | | | | | | | |
| XKR / XKR 4.0 | Kit Nr. | Felge | Dia | NOTE | | Kolben | Sattel | |
| XKR / XKR 4.0 | KMJA0344 | 19" | 340X26 | | | 6/10 | B34XL | |
| S Type 3.0 | KMJA0347 | 19" | 360X30 | | | 6/10 | B34XXL | |
| S Type 3.0 | KMJA0355 | 19" | 360X30 | | | 6/10 | B34XL | |
| XKR / XKR 4.0 | KMJA0362 | 19" | 350X26 | Hinten | | 6/10 | B34XL | |
| XKR / XKR 4.0 | KMJA0408 | 19" | 350X26 | | | 6/10 | B34XL | |
| XKR / XKR 4.0 | KMJA0409 | 19" | 350X20 | Hinten | | 6 | BFP | |
| LAMBORGHINI | | | | | | | | |
| Countach | Kit Nr. | Felge | Dia | NOTE | | Kolben | Sattel | |
| | KMLAM0117 | 15"O | 308X30 | | | 6/10 | B32 XXL | |
| LANCIA | | | | | | | | |
| Thema Turbo 16V | Kit Nr. | Felge | Dia | NOTE | | Kolben | Sattel | |
| | KMLA0013 | 15" | 284 | | | 6/10 | B32 | |



| Delta Integrale Evoluzione | KMLA0430 | 15" | | Original Bremsheiben | 6/10 | B32 XL | | |
|----------------------------|----------|-------|--------|--------------------------------|--------|-----------|--|--|
| Delta Integrale Evoluzione | KMLA0031 | 16" | 306 | | 6/10 | B32 | | |
| Delta Integrale Evoluzione | KMLA0017 | 17" | 320X26 | | 6/10 | B32 XL | | |
| Delta Integrale Evoluzione | KMLA0175 | 17" | 330X26 | | 6/10 | B32 XL | | |
| Delta Integrale Evoluzione | KMLA0072 | 16" | 292X11 | Hinten/Originale Felge | | Original | | |
| Delta Integrale Evoluzione | KMLA0083 | 17" | 313 | Hinten | | Original | | |
| Delta Integrale 16V | KMLA0032 | 15" | 286 | Original Felge und Bremsheiben | 6/10 | B32 | | |
| Delta Integrale 16V | KMLA0283 | 15" | 306X26 | | 6 | B28 | | |
| Delta Integrale 16V | KMLA0119 | 16" | | | 6/10 | B32 XL | | |
| Delta Integrale 16V | KMLA0292 | 17" | 316X24 | | 6/10 | B32XL | | |
| Delta Integrale 16V | KMLA0178 | 17" | 326X26 | | 6/10 | B32 XL | | |
| Delta Integrale 16V | KMLA0065 | 15" | 285 | Hinten/Originale Felge | | Original | | |
| Delta HPE | KMLA0206 | 16" | 310X26 | | 6/10 | B32 XL | | |
| Delta HPE | KMLA0315 | 17" | 318X26 | | 6/10 | B32 XL | | |
| K Turbo Diesel | KMLA0280 | 17" | 318X26 | | 6/10 | B32 XL | | |
| K Turbo Diesel | KMLA0073 | 17" | 330X26 | | 6/10 | B32 XL | | |
| K Turbo Diesel | KMLA0074 | 17" | 320 | Hinten | | ORIGINAL | | |
| Monte Carlo S2 | KMLA0384 | 15" | 283X24 | | 6 | B28 X | | |
| Monte Carlo S2 | KMLA0289 | 17" | 318X26 | | 6/10 | B32XL | | |
| Monte Carlo S2 | KMLA0290 | 17" | 318X26 | | 6/10 | B32XL | | |
| Monte Carlo S2 | KMF10369 | 15" | 284X22 | Originale Felge | 6 | B28 | | |
| Monte Carlo S1 | KMF10374 | 16" | 300X26 | | 6/10 | B32XL | | |
| Monte Carlo S1 | KMLA0313 | 17" | 318X26 | | 6/10 | B32XL | | |
| Y | KMLA0391 | 14" | 257X20 | | 6 | BFP | | |
| LOTUS | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel | | |
| Seven (Caterham) | KMLO0035 | | 273 | Hinten | | Originale | | |
| Seven (Caterham) | KMLO0067 | | 294 | | 6/10 | B32 L | | |
| Esprit S4 | KMLO0112 | 17" O | 318X22 | | 6/10 | B32 L | | |
| Esprit S4 | KMLO0113 | 17" O | 323 | Hinten | 6/10 | B32 L | | |
| Elise | KMLO0422 | 16" | 310X26 | | 6 | BFP XL | | |
| Elise | KMLO0423 | 17" | 310X26 | Hinten | | Originale | | |
| MASERATI | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel | | |
| Biturbo 2.8/222 | KMMA0103 | 16" | 315 | | 6/10 | B32 | | |
| Biturbo 2.8/222 | KMMA0120 | 16" | 310X22 | | 6/10 | B32XL | | |



| | | | | | | | |
|-------------------------------|----------------|--------------|------------|--------------------------------|---------------|---------------|---------|
| Royale | KMMA0121 | 15" | 298 | | | 6/10 | B32 |
| Quattro Porte | KMMA0187 | 17" O | 330 | | | 6/10 | B32 XXL |
| Ghibli | KMMA0200 | 17" | 330 | | | 6/10 | B32 XXL |
| Biturbo 2.8/222 | KMMA0264 | 16" O | 310x24 | | | 6/10 | B32 X |
| MAZDA | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel | |
| 323F GTR 1.6-1.8 16V | KMMZ0070 | 16" O | 305x22 | | 6/10 | B32 L | |
| 323F GTR 1.6-1.8 16V | KMMZ0320 | 17" | 318x26 | | 6/10 | B32XL | |
| RX - 7 (1992) Wenkel | KMMZ0368 | 16" | 318X26 | | 6/10 | B32XL | |
| MX 5 | KMMZ0405 | 15" | 300X22 | | 6/10 | B32 L | |
| MX 5 | KMMZ0406 | 15" | 300x10 | Hinten | | Original | |
| MERCEDES | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel | |
| 300E W124 | KMME0075 | 18" | 330 | | 6/10 | | |
| 500S Coupe (1994) | KMME0390 | 18" | 3330X26 | | 6/10 | B32XL | |
| 600 SL V12 | KMME0393 | 18" AMG | 360X32 | | 6/10 | B34XXL | |
| 600 SL V12 | KMME0394 | 18" AMG | 350X22 | Hinten | 6 | BFP XL | |
| MINI | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel | |
| Cooper | KMMI0407 | 12" | 227 | | 4 | B1 | |
| New Mini One /Cooper/Cooper S | KMMI0417 | 17" | 318X26 | Alessio Turbo Felge | 6/10 | B32XL | |
| mitsubishi | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel | |
| Eclipse 2.0 | KMMI0044 | 15" | 290 | | 6/10 | B32 | |
| Eclipse 2.0 | KMMI0077 | 17" | 318 | | 6/10 | B32 | |
| Pajero 3.0 | KMMI0118 | 16" | 318 | | 6/10 | B32 | |
| Pajero 3.0 | KMMI0141 | 15" | 290 | Original Felge | 6/10 | B32 | |
| Eclipse 2.0 4X4 Turbo | KMMI0214 | 16" | 309 | | 6/10 | B32 | |
| 3000 GT | KMMI0306 | 17" O | 318x30 | | 6/10 | B32 XXL | |
| Pajero 2000 Jahre | KMMI0343 | 15" | 290X26 | Original Felge/Distanziale 4mm | 6/10 | B32 XL | |
| Lancer Evo 5/6 | KMMI0378 | 17" | 320 | Original Bremsheiben | 6/10 | B34XXL | |
| Lancer Evo 5/6 | KMMI0379 | 17" | 340X32 | | 6/10 | B34XXL | |
| 3000 | KMMI0383 | 16" | 310 | | 6/10 | B32XL | |
| Lancer Evo 5/6 | KMMI0389 | 17" | 340X22 | Hinten | 6/10 | B34XXL | |
| NISSAN | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel | |



| | | | | | | |
|---|----------|-------|--------|----------------------|----------|----------|
| Sunny Gt-R | KMN10015 | 14" | 263 | Original Felge | 6/10 | B1 |
| Sunny Gt-R | KMN10062 | 15" | 298 | Hinten | | Original |
| Sunny Gt-R | KMN10063 | 15" | 290 | | 6/10 | B32 |
| Patrol GR | KMN10128 | 16" | 318 | | 6/10 | B32 |
| Terrano II 2.7 T.D. | KMN10138 | 16" | 318 | | 6/10 | B32 |
| Terrano II 2.7 T.D. | KMN10139 | 16" | 318 | Hinten | 6/10 | Original |
| Skyline GT-R R33 | KMN10219 | 18" | 335 | | 6/10 | B32 XL |
| Primera 2.0 TD | KMN10257 | 15" O | | Original Bremsheiben | 6 | B28 |
| Sunny Gt-R | KMN10285 | 17" | 318X26 | | 6/10 | B32 |
| 200 SX Turbo 2.0 (1999) | KMN10351 | 17" | 330X26 | | 6/10 | B32 XL |
| Skyline GT-R R33 | KMN10397 | 18" | 350X32 | | 6/10 | B34XXL |
| Skyline GT-R R33 | KMN10398 | 18" | 350X26 | Hinten | 6/10 | B34XL |
| 300 ZX | KMN10415 | 18" | 340X26 | | 6/10 | B34XL |
| 300 ZX | KMN10416 | 18" | 340X24 | Hinten | 6/10 | B32XL |
| OPEL | | | | | | |
| Astra Kadette GSI 16V\Calibra 2.0 16V | KMOP0028 | 15" | 284X22 | | 6/10 | B32 L |
| Astra Kadette GSI 16V\Calibra 2.0 16V | KMOP0258 | 16" | 305X26 | | 6/10 | B32 XL |
| Astra Kadette GSI 16V\Calibra 2.0 16V | KMOP0266 | 17" | 318X26 | | 6/10 | B32XL |
| Calibra 2.0i 16V TURBO 4X4 / 2.5iV6 24V | KMOP0260 | 16" | 305X26 | | 6/10 | B32XL |
| Calibra 2.0i 16V TURBO 4X4 / 2.5iV6 24V | KMOP0102 | 17" | 318x26 | | 6/10 | B32 XL |
| Frontera Sport 2.0i | KMOP0197 | 15" O | 297 | | Original | |
| Tigra | KMOP0124 | 15" | 280 | | 6/10 | B32 |
| Tigra | KMOP0366 | 17" | 318X26 | | 6/10 | B32XL |
| Vectra V6 | KMOP0235 | 16" | 310X26 | | 6/10 | B32 XL |
| PEUGEOT | | | | | | |
| 106 GTI | KMPE0201 | 17" | 318 | | 6/10 | B32 |
| 106 GTI | KMPE0226 | 16" | 305 | | 6/10 | B32 |
| 205 GTI 1.9/309 1.9-16V GTI | KMPE0230 | 15" | 284X22 | | 6/10 | B32 L |
| 205 GTI 1.9/309 1.9-16V GTI | KMPE0360 | 17" | 318X26 | | 6/10 | B32XL |
| 205 GTI 1.9/309 1.9-16V GTI | KMPE0359 | 18" | 330X26 | | 6/10 | B32XL |
| 306 2.0 16V / 405 1.9i | KMPE0204 | 16" | 310 | mit Distanzen | 6/10 | B32 |
| 306 2.0 16V / 405 1.9i | KMPE0305 | 17" | 318X26 | nur mit Distanzen | 6/10 | B32 XL |
| 306 2.0 16V / 405 1.9i | KMPE0176 | 17" | 330 | mit Distanzen | 6/10 | B32 |
| 306 2.0 GT-6 | KMPE0299 | 15" | 295X26 | mit Distanzen | 6/10 | B32 X |



| | | | | | | | |
|-------------------------|----------------|--------------|------------|------------------------------|---------------|---------------|--------|
| 306 2000i 16V RALLY | KMPE0421 | 16" | 305X26 | | mit Distanzen | 6/10 | B32 XL |
| 306 2.0 GT-6 | KMPE0304 | 17" | 318X26 | | mit Distanzen | 6/10 | B32 XL |
| 306 2.0 GT-6 | KMPE0404 | 17" | 330X26 | | | 6/10 | B34XXL |
| RENAULT | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel | |
| Clio 16V/Williams | KMRE0055 | 15" | 283 | Original Clio Williams Felge | 6/10 | B32 | |
| Clio 16V/Williams | KMRE0251 | 16" | 305X26 | | 6/10 | B32 XL | |
| Clio 16V/Williams | KMRE0254 | 17" | 318 | | 6/10 | B32 XL | |
| ESPACE 2.2 TD(dal 98) | KMRE0337 | 16" | 305x26 | mit Distanzen | 6/10 | B32XL | |
| R5 Turbo Central Engine | KMRE0089 | 15" O | | Original Bremsheiben | 4 | B1 | |
| Megane Coupe' | KMRE0220 | 17" | 315x26 | | 6/10 | B32XL | |
| ROVER | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel | |
| 216 -218 - 220 | KMRO0052 | 15" | 288 | | 6/10 | B32 | |
| 820 | KMRO0086 | 17" O | 310 | | 6/10 | B32 | |
| 216 -218 - 220 | KMRO0189 | 17" | 310 | | 6/10 | B32 XL | |
| SAAB | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel | |
| 9000 | KMSA0349 | 17" | 330X26 | Nur mit distanzial | 6/10 | B32XL | |
| SEAT | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel | |
| Leon 2.8 V6 4X4 Cupra | KMSE0410 | 17" O | 330X26 | | 6/10 | B32XL | |
| Leon 2.8 V6 4X4 Cupra | KMSE0411 | 17" O | 300X22 | Hinten/distanzial | | Original | |
| Leon 2.8 V6 4X4 Cupra | KMSE0412 | 17" O | ORIGINAL | Original Bremsheiben | 6/10 | B32XL | |
| SMART | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel | |
| SMART | KMSM0353 | 15" | 305X10 | | 6 | BFP | |
| SUBARU | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel | |
| Impreza Turbo | KMSU0049 | 16" | 306 | | 6/10 | B32 | |
| Impreza Turbo | KMSU0123 | 16" | 318 | Hinten | Solid | Original | |
| Impreza Turbo | KMSU0173 | 17" | 328 | | 6/10 | B32 | |
| Impreza Turbo WRX | KMSU0193 | 16" | 318 | Hinten | Vented | Original | |
| Impreza Turbo | KMSU0250 | 17" | 315X26 | | 6/10 | B32 | |
| Impreza Turbo | KMSU0367 | 18" | 340X26 | | 6/10 | B34 | |





| SUZUKI | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel |
|-------------------------|----------|-------|--------|------------------------|--------|-------------|
| Swift | KMSZ0212 | 15" | 280 | | 6/10 | B32 |
| TOYOTA | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel |
| Rav-4 | KMT00081 | 16" | 315 | | 6/10 | B32 |
| Celica GT4 Turbo | KMT00296 | 17" | 318X26 | | 6/10 | B32XL |
| Celica Carlos Sainz | KMT00310 | 15" | 277X22 | | 6/10 | B32 L MODIF |
| Celica Carlos Sainz | KMT00312 | 17" | 318X26 | | 6/10 | B32 XL |
| Celica GT4 Japan Import | KMT00327 | 17" | 318X28 | | 6/10 | B32XL |
| Yaris 1.3 Luna | KMT00330 | 16" | 310X9 | Hinten | 6 | BFP |
| Yaris 1.3 Luna | KMT00302 | 16" | 310X26 | | 6/10 | B32XL |
| TRIUMPH | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel |
| TR4/TR5 | KMTR0286 | 15" | 305X24 | | 6/10 | B32X27 |
| TVR | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel |
| Chimaera/Griffith | KMTV0272 | 16" | 300X26 | | 6/10 | B32XL |
| Tuscan | KMTV0325 | 18" | 380X28 | | 6 | B38 |
| Tuscan | KMTV0326 | 18" | 375X26 | Hinten | 6/10 | B32 |
| Chimaera/Griffith | KMTV0386 | 17" | 330X26 | | 6/10 | B34 XL |
| Chimaera/Griffith | KMTV0387 | 17" | 316X20 | Hinten | | Original |
| VOLKSWAGEN | Kit Nr. | Felge | Dia | NOTE | Kolben | Sattel |
| Golf /Corrado VR6 | KMWW0425 | 15" O | 284X26 | Distanzen | 6/10 | B32 |
| Golf /Corrado VR6 | KMWW0041 | 16" | 305 | Distanzen | 6/10 | B32 |
| Golf /Corrado VR6 | KMWW0131 | 17" | 318 | Distanzen | 6/10 | B32 |
| Golf GTI /Corrado G60 | KMWW0428 | 15" | 284X26 | Distanzen | 6/10 | B32 |
| Golf GTI /Corrado G60 | KMWW0153 | 16" | 300X26 | Distanzen | 6/10 | B32 |
| Golf GTI /Corrado G60 | KMWW0127 | 17" | 318 | | 6/10 | B32 |
| Golf GTI /Corrado G60 | KMWW0154 | 17" | 330 | | 6/10 | B32XL |
| GOLF 4 1.8GTI - 2.3 V5 | KMWW0427 | 15" | 288X25 | Original Bremsscheiben | 6/10 | B32XL |
| Golf IV 1.8GTI - 2.3 V5 | KMWW0364 | 17" | 318X26 | | 6/10 | B32XL |
| Golf IV 1.8GTI - 2.3 V5 | KMWW0426 | 17" | 325X26 | | 6/10 | B34XL |
| Golf IV 1.8GTI - 2.3 V5 | KMWW0431 | 18" | 350X26 | | 6/10 | B32XL |
| Golf 4 Motion | KMWW328 | 17" | 330X26 | | 6/10 | Original |
| Golf 4 Motion | KMWW329 | 17" | 300X22 | Hinten | 6/10 | B32 XL |



| | Passat V6 Tdi | KMWW0346 | 16" | 308X26 | 6/10 |
|------------------|---------------|----------|-------|--------|--------|
| VOLVO | | Kit Nr. | Felge | Dia | NOTE |
| 850-T5 | | KMV00003 | 17" | 325X26 | |
| 460 Turbo | | KMV00009 | 15" | 285 | |
| 850 T-5 | | KMV00079 | 16"O | 300 | |
| 850 T-5 | | KMV00104 | 17"O | 318 | |
| 850 T-5 | | KMV00323 | 17"O | | Hinten |
| S80 T5 2.0 Turbo | | KMV00335 | 18" | 330X26 | |
| S80 T5 2.0 Turbo | | KMV00338 | 16" | 315X26 | |